



ATALANTE 7 Évo

Product Sheet

The Pinnacle of Musical Artistry, Evolved

Building upon the success of the ATALANTE series, ATALANTE 7 Évo represents a new era of acoustic refinement. Designed for those who seek an immersive, natural, and emotionally engaging sound, this statement model in the ATALANTE family embodies both heritage and evolution, setting new standards in high-fidelity performance.

With its refined RASC™ Évo soft-dome tweeter, upgraded RASC™ Évo soft-dome midrange, and the newly developed 15-inch BSC™ woofer, ATALANTE 7 Évo is the culmination of years of research, engineering advancements, and real-world listening feedback. It delivers greater scale, enhanced detail retrieval, and a more organic musical flow, ensuring that every note resonates with depth, nuance, and authenticity.

KEY FEATURES

Crafted for uncompromised clarity, precision, and effortless musical immersion, ATALANTE 7 Évo integrates advanced materials, cutting-edge engineering, and meticulous craftsmanship to redefine high-fidelity performance.

- RASC™ Évo Tweeter & Midrange: Our patented ARID technology, specially-made Tetoron tweeter dome with refined coating recipe, dual-suspension midrange, oversized neodymium magnets, full aluminium chamber and many detail upgrades for enhanced rigidity and airflow control. All is Evolved!
- 15-inch BSC™ Woofer: First-ever Basalt Sandwich Construction in high-end audio, featuring an oversized voice coil and magnet system with 10mm linear excursion. The 15-inch BSC delivers lows down to 23 Hz with top control.
- **Resonance-free Cabinet Design:** Golden ratio proportions and extensive structural bracing ensure a resonance-free, acoustically optimized design.
- AeroVex™ Aluminum-Flanged Bass Port: High-precision airflow optimization with reinforced aluminium flange, reducing port noise by 94+%.
- **Hand-tuned crossover:** Premium air coils, all-pass filter topology, and Van den Hul Skyline internal wiring for enduring listening. An art piece of work.
- Smart Isolation Stand Set: Micro-adjustable spikes and the decoupling design between speakers and stands enhance stability and vibration control.

More Technical Details: https://revivalaudio.fr/atalante-7-Evo/



ATALANTE 7 Évo

The Pinnacle of Musical Artistry, Evolved

Technical Specification

Туре	3-way loudspeaker
Drivers	 1 1/8" (28mm) RASC™ Évo soft-dome tweeter with ARID technology, aluminum back chamber, neodymium magnet, and optimized ventilation for distortion-free high frequencies 3" (75mm) RASC™ Évo soft-dome midrange with ARID+ technology, double suspension, enhanced chamber design, and advanced cooling for absolute transparency 15" (380mm) BSC™ (Basalt Sandwich Construction) woofer with optimized ventilation, large 3-inch voice coil, extended excursion, and enhanced infrasonic response
Frequency Response (-6 dB)	23Hz - 24kHz
Sensitivity (2.83V/1m)	90 dB/2.83V/ 1 metre
Nominal Impedance	6 ohms
Minimum Impedance	4.4 ohms at 74Hz
Crossover Frequency	340Hz and 2.25kHz
Recommended Amplifier Power	Power handling: 300 watts. Starting from 30-50 watts.
Recommended Room Size	35 to 80 m² (377 to 861 ft²)
Dimensions (H*W*D)	 With stand: 1160 mm x 456 mm x 480 mm (45.67 in x 17.95 in x 18.90 in) Without stand: 820 mm x 456 mm x 480 mm (32.28 in x 17.95 in x 18.90 in)
Net Weight	With Stand: 67 kg (147.71 lbs)Without Stand: 54.6 kg (126.55 lbs)

^{*} Stand is included in the price and default package



ATALANTE 7 Évo

The Pinnacle of Musical Artistry, Evolved

galerie







Copyright @ REVIVAL AUDIO 2025 All Rights Reserved

